

Thyroid Scan

A thyroid scan checks your thyroid gland for problems. The thyroid gland is located in your neck. It speeds up or slows down most body functions. You will be asked to swallow a pill that contains a small amount of radioactive iodine for this test. There are no side effects from taking this pill.

This test has 3 parts. You will be given 3 appointment times. **Arrive on time for each part of the test.**

If you have any allergies to medicines, foods or other things, tell the staff before the test.

If you are **breastfeeding, pregnant or think you might be**, tell the staff before the scan. For **women of childbearing years**, a pregnancy test is done before the scan.

To Prepare

- Do not take multi-vitamins that contain iodine for 4 weeks before the test.
- If you are taking thyroid medicine, ask your doctor when you need to stop taking it before the test.
- Do not eat or drink anything, including water, after midnight before the test and for 2 hours after you take the pill.
- Ask your doctor if you should take your medicines the day of the test. If so, take with sips of water only.

Your Appointments

Part One:

Your test is at _____ morning/afternoon

Time

갑상선 검사

갑상선 검사를 통하여 갑상선의 문제들을 검사합니다. 갑상선은 목에 위치해 있습니다. 갑상선은 대부분의 신체 기능의 속도를 빠르게 하거나 늦춰줍니다. 이 검사를 할 때 환자는 소량의 방사선 요오드가 들어있는 알약을 먹게 됩니다. 이 알약은 먹어도 부작용이 없습니다.

이 검사는 3 단계로 구성되었습니다. 따라서 병원을 3번 방문해야 합니다. 각 검사를 받을 때 제 시간에 도착하십시오.

약이나 음식 또는 그밖에 다른 물질에 알레르기가 있으면 검사 전에 의료진에게 말씀하십시오.

수유 중이거나, 임신했거나, 임신 가능성이 있으면 검사 전에 의료진에게 말씀하십시오. 가임기 여성들은 검사 전에 임신 여부 검사를 받게 됩니다.

검사 전 준비

- 검사를 받기 전 4주 동안은 요오드가 들어있는 종합 비타민을 들지 마십시오.
- 갑상선 약을 먹고 있다면 검사 전 언제부터 복용을 중단해야 하는지 의사에게 물어보십시오.
- 검사 전 날 자정부터 그리고 알약을 먹은 후 2시간 동안은 물을 포함해 아무 것도 먹거나 마시지 마십시오.
- 검사 받는 날 평소 복용하는 약들을 먹어야 하는지 의사에게 물어보십시오. 먹어도 된다면 물은 약간만 드십시오.

예약

1 단계:

검사 시간은 오전/오후 _____ 시

시간

on _____, 20_____.
Month Day Year

You are told about the test and given a pill to swallow.

Part Two

Your test is at _____ morning/afternoon
Time

on _____, 20_____.
Month Day Year


About 6 hours later, you return to have a small blood sample taken from your arm to measure the amount of radioactivity in your thyroid gland. You may wait at home between parts one and two.

Part Three

Your test is at _____ morning/afternoon
Time

on _____, 20_____.
Month Day Year

The next day, you have blood taken again. A scan of your thyroid gland is done. You will lie down for the scan. This takes about 1 hour.



Test results are sent to your doctor. Your doctor will share the results with you.

Talk to your doctor or nurse if you have any questions or concerns.

2/2006. Developed through a partnership of The Ohio State University Medical Center, Mount Carmel Health and OhioHealth, Columbus, Ohio. Available for use as a public service without copyright restrictions at www.healthinfotranslations.com.

_____, 20____.
월 일 연도

검사에 관하여 설명을 듣고 복용할 알약을 받습니다.

2 단계

검사 시간은 오전/오후 _____ 시
시간

_____, 20____.
월 일 연도

약 6시간 후에 돌아와서 팔에서 약간의 피를 뽑아 갑상선 안에 방사능의 양을 측정할 것입니다. 1 단계 검사와 2 단계 검사 중간에 집에서 쉬고 있다가 돌아와도 됩니다.

3 단계


검사 시간은 오전/오후 _____
시간

_____, 20____.
월 일 연도

다음 날 피를 한 번 더 뽑습니다. 갑상선 검사가 완료됩니다. 검사를 받기 위하여 진찰대에 누어야 합니다. 이 검사는 약 1시간 걸립니다.

검사 결과는 의사에게 보내집니다. 의사가 결과를 환자에게 알려줄 것입니다.

질문이나 문제가 있으시면 의사나 간호사에게 말하십시오.



Thyroid scan. Korean.

2/2006. Developed through a partnership of The Ohio State University Medical Center, Mount Carmel Health and OhioHealth, Columbus, Ohio. Available for use as a public service without copyright restrictions at www.healthinfotranslations.com.